

# AMSCO™ 600

Medium Steam Sterilizer



**MAXIMUM THROUGHPUT**  
**MINIMUM FOOTPRINT**

# IT JUST FITS


The sleek design of the AMSCO™ 600 Medium Steam Sterilizer meets your needs – **optimizing productivity without sacrificing limited space.** Whether you are building a new facility, renovating an SPD, or replacing a sterilizer – the design of the AMSCO 600 Steam Sterilizer makes it an obvious choice.



## BANKED INSTALLATION

- Creates a productivity powerhouse
- Zero side clearance for installation and service

AMSCO 600 Medium



**70%** SPACE SAVINGS PER UNIT<sup>1</sup>

<sup>1</sup> When compared to previous generation

# ASC-READY



## QUICK-TURN PROCESSING

The integrated clean ready generator, small footprint and high throughput, make the AMSCO 600 the **Perfect fit** for Ambulatory Surgery Centers.

# WORKFLOW that NEVER STOPS



- Add a **FAST LANE** to batch smaller loads that are needed quickly, including full orthopedic sets
- **Stay up and running** if your larger sterilizer is down for service

# THE POWER OF PRODUCTIVITY

Never sacrifice productivity based on space again – meet throughput demands and increase staff workspace with the AMSCO 600.



Increased  
Throughput  
for ASCs

up to **5x** the throughput  
**40% LESS SPACE<sup>2</sup>**



3 trays  
per cycle

59"



15 trays  
per cycle

39"

## THROUGHPUT BY THE NUMBERS<sup>3</sup>

The proof is in the numbers – adding up to maximum productivity.



**90** trays  
per 8-hour shift



**15** trays  
per cycle



**375** lbs  
per cycle

<sup>2</sup> When compared to AMSCO<sup>®</sup> 400 Small Steam Sterilizer    <sup>3</sup> This data applies only to the AMSCO 600 Steam Sterilizer


# KEEP YOUR PROCESS IN MOTION



**Maximize productivity and optimize workflow**

with the advanced loading capability offered by the **Automatic Load and Unload System (ALUS)**.


**Improve staff efficiency** with an interface designed for ease of use that keeps you **informed of cycle progress** from across the room.



# BUILT TO LAST

When the label says **AMSCO** – you know it represents **high quality** and **reliable steam sterilization**.

- **Fully warranted construction** 15-year chamber warranty and the industry's only two-year gasket warranty
- Steam activated gasket that **never requires lubrication**
- **Less internal condensation** with the fully jacketed chamber



## Clean Steam Ready

Whether you use plant steam or plan to upgrade in the future, the AMSCO 600 is ready for you. It features **clean steam ready construction** with stainless steel piping and an **optional integrated stainless steel generator**.

# SUSTAINABLY ENGINEERED

## 2 WATER SAVER OPTIONS

- **Save water** with the standard 2-stage electric vacuum pump
- Sensors **minimize water cooling needs**
- **Conserve utilities** with programmable auto-utilities shutdown
- **Minimize heat loss** with fully insulated chamber



<sup>4</sup> Compared to processing a 375-lb load in a standard AMSCO 600 Medium Steam Sterilizer

## CONNECTED SOLUTIONS

Seamlessly connect and get immediate results from your AMSCO 600 Medium and Celerity™ **STEAM** Incubator using ConnectAssure Technology.

Whether data is sent to your facility's tracking system or to ConnectAssure's interface, critical information is available with the click of a mouse.

- Complete sterilization records in one place
- Reminders for regular maintenance tasks
- Receive results before your packs cool – 20-minute read with the Celerity™ **STEAM** Biological Indicator




# MAXIMIZE EQUIPMENT UPTIME


A team of **service experts** delivers the highest level of responsiveness and technical expertise in the industry helping to **keep you running 24/7**.



4 hour  
phone  
response



48 hour  
onsite  
response



more than  
**1,000** service technicians  
in North America



**3** technicians  
assigned to every account



## AMSCO™ 600 Medium Steam Sterilizer

### Available Configurations

- 26.5" x 26.5" x (39", 51" or 63" Lengths; 450 liters, 588 liters or 724 liters)
- Single or Double Door
- Cabinet or Recessed
- Electric or Steam Powered

VISIT [STERIS.COM/AMSCO600](https://www.steris.com/amsc600) or  
contact your **STERIS** representative  
for more information.

**steris.com**  
Mentor, OH 44060 | USA

